

YIFAN



CC 系列圆锥破碎机

CC Series Cone Crusher

Leading crushing and screening equipment manufacturer in China

中国领先的破碎筛分设备制造商

郑州一帆机械设备有限公司(由山德技术(北京)有限公司控股),是中国知名的破碎筛分设备制造商。我们为客户提供全系列破碎筛分设备,包括 液压圆锥破碎机、颚式破碎机、反击式破碎机、立式冲击破碎机(制砂机)、移动式破碎站和振动筛,我们不仅为客户提供高性价比的产品,还提供一流的服务支持及解决方案。



YIFAN

郑州一帆机械设备有限公司

ZHENGZHOU YIFAN MACHINERY CO.,LTD

服务热线: 400-665-6688 0371-64627000 64989888

网址: www.yfmac.com

地址: 中国郑州荥阳开发区郑源路

CC系列圆锥破碎机

CC Series Cone Crusher



特点及优势:

- ◎ 结构合理, 破碎原理及技术参数先进, 运转可靠, 运行成本低;
- ◎ 具有大破碎力, 生产效率高, 产量高;
- ◎ 弹簧保险系统可靠, 能提供安全有效的过载保护;
- ◎ 多种破碎腔结构, 适应大范围产品粒度要求;
- ◎ 手动液压调整排料口, 轻松省力。

技术参数 Technical Data

型号 Model	腔型 Type of Cavity	最大给料尺寸 Max Feeding Size(mm)	排料口范围 Discharge range opening(mm)	电机功率 Motor Power(kw)	开路循环 闭边排矿口及对应的生产能力 (吨/小时)																			
					Open circuit, Closed side(mm), Capacity(t/h)																			
					3mm	5mm	6mm	10mm	13mm	16mm	19mm	25mm	31mm	38mm	52mm	64mm	76mm	89mm						
CC539	C	155	25-38	75								128	147	175										
	M	150	13-31					59	73	91	118	137												
	F	87	9-19					46	59	73	82													
CC539D	C	70	6-19	75			59	73	95	114	127													
	M	51	5-16				41	55	68	91	100													
	F	35	3-13		27	41	55	68	91															
CC551	EC	260	25-52	200								237	273	324	398									
	C	220	19-52								173	218	250	295	365									
	M	180	16-38							132	159	200	228	253										
CC551D	C	90	8-25	200				109	159	182	200	228												
	M	76	6-16					82	105	137	164													
	F	55	3-16		36	59	82	105	137	164														
CC567	EC	315	38-64	250													538	630	743					
	C	230	25-64										354	417	454	610	637							
	M	205	22-52										291	337	381	438								
CC567D	C	115	13-25	250					255	282	309	337												
	M	76	6-19					137	164	209	255	282												
	F	60	5-13		91	137	164	209																
CC584	EC	460	38-89	400													880	1179	1361	1473	1531			
	C	310	31-76											789	844	1088	1257	1386						
	M	280	25-64										608	726	807	998	1128							
CC584D	C	170	16-25	400							381	499	617	726	852									
	M	150	13-25							508	590	653												
	F	110	10-19					354	408	454	508													
							190	270	345	360	408													

注: 上述生产能力是在破碎中硬及以下物料且堆积密度为 $1.6 \times 10^3 \text{kg/m}^3$ 时开路循环生产中的总吨数。生产能力与破碎物料的物料性能、给料方式、进料粒度及其组成有关。

Note: The capacity is total tons per hour passing through crusher at open circuit when crushing medium and below hardness material and bulk density with $1.6 \times 10^3 \text{kg/m}^3$. Capacities are relative to physical character and type of feeding, feeding size and composition and so on.



总公司：山德技术（北京）有限公司
SHANDE TECHNOLOGY (BEIJING) CO., LTD.

郑州一帆机械设备有限公司
地址：中国郑州市荥阳开发区郑源路
邮编：450100
电话：0371-6462 7000 6462 6911
传真：0371-6460 6468
免费咨询电话：400-665-6688
网址：www.yfmac.com
E-mail: yifan@yfmac.com

ZHENGZHOU YIFAN MACHINERY CO., LTD.
Add:Zhengyuan Rd,Xingyang,Zhengzhou Henan 450100,China
Tel:+86 371 64628852
Fax:+86 371 64628872
Website: www.yfcrusher.com
E-mail: sales@yfmac.com

我们的产品在不断更新和改进中，一帆保留在未事先告知的情况下更改参数及设计的权利。

Our products are constantly updated and improved. YIFAN reserves the right to modify parameters and design without notice.

照片中产品外观颜色与实际机型存在差异，颜色标准以实物为准。

In the photo products' color and appearance might have differences from the actual models, the color need to be subject to the real object.

本手册中的配置不一定是出厂标准配置，购买时请详细咨询我们。

The configuration in this manual are not necessarily the Ex-factory standard, please consult with us before purchasing.